




WIND GUARDS

Square Model: 8202-WG

Rectangular Model: 8204-WG

Square Dining Model: 8210-WG




**8202-WG
model
shown**

SPECIFICATIONS AND DIMENSIONS

This wind guard is for use with your American Fyre Designs firetable.

CAUTION: DO NOT touch any part of this accessory during operation or when HOT! The glass panels and other surfaces get HOT and can cause burns if touched.

Be sure the firetable and this accessory are completely cool when handling.



TOOLS REQUIRED

- Phillips screwdriver
- 2 assemblers recommended
- Soft cotton gloves for handling glass panels

Note: Use a soft non-abrasive surface for assembly to prevent any damage.

PARTS LIST


8202-WG



Bracket kit
(QTY of 4 top & 4 bottom)

WG-BK-1

1x



Glass panel

8202-03

4x


8204-WG



Bracket kit
(QTY of 4 top & 4 bottom)

WG-BK-1


1x



Glass panel

8204-03

2x





Glass panel

8204-04

2x


8210-WG



Bracket kit
(QTY of 4 top & 4 bottom)

WG-BK-1

1x



Glass panel



8210-03

4x

IMPORTANT


Remove all packing material
and discard prior to use.

**HANDLE
WITH CARE
GLASS**

INSTALLATION**1 Assemble 2 panels w/
top bracket****8202-WG assembly shown**Glass panels (and warning
etchings) are upside down**Assemble upside down (as shown) for ease of assembly.****2 Assemble all panels w/
remaining top brackets****DO NOT overtighten screws. Tighten until snug. Overtightening can break glass.**


INSTALLATION (cont.)

3 Install bottom brackets




DO NOT overtighten screws. Tighten until snug. Overtightening can break glass.

4 Finish securing all screws



Gently secure all screws (on all brackets) 1/4" to 1/2" turn until panels are secure. DO NOT OVERTIGHTEN.

INSTALLATION (cont.)**5 Install on firetable**

Flip and position wind guard on firetable.

CARE AND CLEANING

- Clean the glass periodically to remove any build-ups caused by the elements and combustion. It is recommended that the glass be cleaned 2-3 times during each heating season, depending on use and environment conditions.
- Clean using a non-abrasive glass cleaner and a clean lint-free cloth.
- Never attempt to clean glass while hot.
- DO NOT touch glass while in operation or within 10 minutes following use.

